
SEALANT JOINT (BY OTHERS)
FINISH TO MATCH ADJACENT
FINISH EPOXY ADHESIVE WITH
C/S BEDDING (BY OTHERS)
PROPRIETARY EXPANSION JOINT COVER,
MODEL: MS-DSZJ/050 (BY KESFORD)
HYDROLINK FF-UN NEOPRENE WATERPROOFING
MEMBRANE SYSTEM (BY KESFORD)
C/S SCREEDING (BY OTHERS)
APPROX. 15mm x 15mm RECESS
GROOVE FILL IN C/S MORTAR
(BY OTHERS)
M6 ANCHOR BOLT @600 C/C
(BY KESFORD)
RUBBER JOINT FILLER,
MODEL: MS-TPT-2/025 (BY KESFORD)
MIN.15mm THK. HILTI CP601S
FIRE BARRIER (BY KESFORD)
JOINT FILLER (BY OTHERS)
182
38
±5
25
60
MIN. 150
MIN. 150
RC FLOOR SLAB
RC FLOOR SLAB
25
50


SEALANT (BY OTHERS)
FINISH TO MATCH ADJACENT FINISH
EPOXY ADHESIVE (BY OTHERS)
SEALANT JOINT (BY OTHERS)
PROPRIETARY EXPANSION JOINT COVER,
MODEL: MS-DQSZJ/050 (BY KESFORD)
HYDROLINK FF-UN NEOPRENE WATERPROOFING
MEMBRANE SYSTEM (BY KESFORD)
C/S SCREEDING (BY OTHERS)
FINISH REFER TO FINISHES SCHEDULE (BY OTHERS)
APPROX. 15mm x 15mm RECESS GROOVE FILLED
WITH C/S MORTAR (BY OTHERS)
M6 ANCHOR BOLT @600 C/C
(BY KESFORD)
MIN.15mm THK. HILTI CP601S
FIRE BARRIER (BY KESFORD)
JOINT FILLER (BY OTHERS)
122
±5
38
±5
MIN. 150
MIN. 150
25
25
RC FLOOR SLAB
RC WALL
35
25


FINISH REFER TO FINISHES SCHEDULE
(BY OTHERS)
PROPRIETARY EXPANSION JOINT COVER,
MODEL: MS-DGP-2/050 (BY KESFORD)
SEALANT JOINT (BY OTHERS)
HYDROLINK FF-UN NEOPRENE WATERPROOFING
MEMBRANE SYSTEM (BY KESFORD)
C/S SCREEDING (BY OTHERS)
APPROX. 15mm x 15mm RECESS GROOVE FILLED
WITH C/S MORTAR (BY OTHERS)
112
40
±5
25
60
MIN. 150
MIN. 150
M6 ANCHOR BOLT @600 C/C
(BY KESFORD)
RUBBER JOINT FILLER,
MODEL: MS-TPT-2/025 (BY KESFORD)
RC FLOOR SLAB
RC FLOOR SLAB
MIN.15mm THK. HILTI CP601S
FIRE BARRIER (BY KESFORD)
JOINT FILLER (BY OTHERS)
25


SEALANT JOINT (BY OTHERS)
63.5
±5
PROPRIETARY EXPANSION JOINT COVER,
MODEL: MS-DQSZJ/050 (BY KESFORD)
SEALANT JOINT (BY OTHERS)
HYDROLINK FF-UN NEOPRENE WATERPROOFING
MEMBRANE SYSTEM (BY KESFORD)
C/S SCREEDING (BY OTHERS)
FINISH REFER TO FINISHES SCHEDULE (BY OTHERS)
APPROX. 15mm x 15mm RECESS GROOVE FILLED
WITH C/S MORTAR (BY OTHERS)
MIN. 150
40
±5
25
60
M6 ANCHOR BOLT @600 C/C
(BY KESFORD)
MIN. 150
RUBBER JOINT FILLER,
MODEL: MS-TPT-2/025 (BY KESFORD)
RC FLOOR SLAB
RC WALL
MIN.15mm THK. HILTI CP601S
FIRE BARRIER (BY KESFORD)
JOINT FILLER (BY OTHERS)
25


FINISH TO MATCH ADJACENT FINISH
EPOXY ADHESIVE (BY OTHERS)
SEALANT JOINT (BY OTHERS)
PROPRIETARY EXPANSION JOINT COVER,
MODEL: MS-DK/050 (BY KESFORD)
HYDROLINK FF-UN NEOPRENE WATERPROOFING
MEMBRANE SYSTEM (BY KESFORD)
C/S SCREEDING (BY OTHERS)
APPROX. 15mm x 15mm RECESS GROOVE FILLED
WITH C/S MORTAR (BY OTHERS)
205
28
±5
25
25
MIN. 150
MIN. 150
M6 ANCHOR BOLT @600 C/C
(BY KESFORD)
MIN.15mm THK. HILTI CP601S
FIRE BARRIER (BY KESFORD)
RC FLOOR SLAB
RC FLOOR SLAB
JOINT FILLER (BY OTHERS)
25


SEALANT JOINT (BY OTHERS)
PROPRIETARY EXPANSION JOINT COVER,
MODEL: MS-DQK/050 (BY KESFORD)
SEALANT JOINT (BY OTHERS)
FINISH REFER TO FINISHES SCHEDULE
(BY OTHERS)
HYDROLINK FF-UN NEOPRENE WATERPROOFING
MEMBRANE SYSTEM (BY KESFORD)
C/S SCREEDING (BY OTHERS)
APPROX. 15mm x 15mm RECESS GROOVE FILLED
WITH C/S MORTAR (BY OTHERS)
128
±5
MIN. 150
28
±5
25
25
M6 ANCHOR BOLT @600 C/C
(BY KESFORD)
MIN. 150
MIN.15mm THK. HILTI CP601S
FIRE BARRIER (BY KESFORD)
RC FLOOR SLAB
RC WALL
JOINT FILLER (BY OTHERS)
25


25
RC WALL
RC WALL
JOINT FILLER (BY OTHERS)
MIN.15mm THK. HILTI CP601S
FIRE BARRIER (BY KESFORD)
SCREW @600 C/C (BY
KESFORD)
25
15
120
FINISH REFER TO FINISHES SCHEDULE
(BY OTHERS)
PROPRIETARY EXPANSION JOINT COVER,
MODEL: MS-NSK/025 (BY KESFORD)
SEALANT JOINT (BY OTHERS)


50
25
JOINT FILLER (BY OTHERS)
MIN.15mm THK. HILTI CP601S
FIRE BARRIER (BY KESFORD)
RUBBER JOINT FILLER,
MODEL: MS-TPT-2/025 (BY KESFORD)
65
RC WALL
RC WALL
SCREW @600 C/C (BY
KESFORD)
25
5
50
FINISH REFER TO FINISHES SCHEDULE
(BY OTHERS)
PROPRIETARY EXPANSION JOINT COVER,
MODEL: MS-QDJF/050 (BY KESFORD)
SEALANT JOINT (BY OTHERS)


PROPRIETARY EXPANSION JOINT WITH EPOXY ADHESIVE, MODEL: MSDR (BY KESFORD)
HYDROLINK FF-UN NEOPRENE WATERPROOFING MEMBRANE SYSTEM (BY KESFORD)
APPROVED JOINT SEALANT (BY OTHERS)
FINISH REFER TO FINISHES SCHEDULE (BY OTHERS)
C/S SCREEDING (BY OTHERS)
APPROX. 15mm x 15mm RECESS GROOVE FILLED WITH C/S MORTAR (BY OTHERS)
MIN.15mm THK. HILTI CP601S FIRE BARRIER (BY KESFORD)
APPROVED WATERPROOFING SEALANT (BY OTHERS)
JOINT FILLER (BY OTHERS)
10
216
10
20
52
3
25
25
RC CURB
50
RC CURB
15
MIN. 150
MIN. 150
15
RC FLOOR SLAB
RC FLOOR SLAB
25