
FINISH REFER TO FINISHES SCHEDULE (BY OTHERS)
PROPRIETARY EXPANSION JOINT COVER, MODEL: MS-DGP-2/050 (BY KESFORD)
SEALANT JOINT (BY OTHERS)
HYDROLINK FF-UN NEOPRENE WATERPROOFING MEMBRANE SYSTEM (BY KESFORD)
C/S SCREEDING (BY OTHERS)
APPROX. 15mm x 15mm RECESS GROOVE FILLED WITH C/S MORTAR (BY OTHERS)
112
40
25 ±5
60
MIN. 150
MIN. 150
M6 ANCHOR BOLT @600 C/C (BY KESFORD)
RUBBER JOINT FILLER, MODEL: MS-TPT-2/025 (BY KESFORD)
MIN.15mm THK. HILTI CP601S FIRE BARRIER (BY KESFORD)
JOINT FILLER (BY OTHERS)
RC FLOOR SLAB
RC FLOOR SLAB
25


SEALANT JOINT (BY OTHERS)
PROPRIETARY EXPANSION JOINT COVER, MODEL: MS-DQSZJ/050 (BY KESFORD)
SEALANT JOINT (BY OTHERS)
HYDROLINK FF-UN NEOPRENE WATERPROOFING MEMBRANE SYSTEM (BY KESFORD)
C/S SCREEDING (BY OTHERS)
FINISH REFER TO FINISHES SCHEDULE (BY OTHERS)
APPROX. 15mm x 15mm RECESS GROOVE FILLED WITH C/S MORTAR (BY OTHERS)
63.5
±5
MIN. 150
40
±5
25
60
M6 ANCHOR BOLT @600 C/C (BY KESFORD)
RUBBER JOINT FILLER, MODEL: MS-TPT-2/025 (BY KESFORD)
MIN.15mm THK. HILTI CP601S FIRE BARRIER (BY KESFORD)
JOINT FILLER (BY OTHERS)
MIN. 150
RC FLOOR SLAB
RC WALL
25