
FINISH TO MATCH ADJACENT FINISH
EPOXY ADHESIVE (BY OTHERS)
SEALANT JOINT (BY OTHERS)
PROPRIETARY EXPANSION JOINT COVER,
MODEL: MS-DK/050 (BY KESFORD)
HYDROLINK FF-UN NEOPRENE WATERPROOFING
MEMBRANE SYSTEM (BY KESFORD)
C/S SCREEDING (BY OTHERS)
APPROX. 15mm x 15mm RECESS GROOVE FILLED
WITH C/S MORTAR (BY OTHERS)
205
28
±5
25
25
MIN. 150
MIN. 150
M6 ANCHOR BOLT @600 C/C
(BY KESFORD)
MIN.15mm THK. HILTI CP601S
FIRE BARRIER (BY KESFORD)
RC FLOOR SLAB
RC FLOOR SLAB
JOINT FILLER (BY OTHERS)
25


SEALANT JOINT (BY OTHERS)
PROPRIETARY EXPANSION JOINT COVER,
MODEL: MS-DQK/050 (BY KESFORD)
SEALANT JOINT (BY OTHERS)
FINISH REFER TO FINISHES SCHEDULE
(BY OTHERS)
HYDROLINK FF-UN NEOPRENE WATERPROOFING
MEMBRANE SYSTEM (BY KESFORD)
C/S SCREEDING (BY OTHERS)
APPROX. 15mm x 15mm RECESS GROOVE FILLED
WITH C/S MORTAR (BY OTHERS)
128
±5
MIN. 150
28
±5
25
25
M6 ANCHOR BOLT @600 C/C
(BY KESFORD)
MIN. 150
MIN.15mm THK. HILTI CP601S
FIRE BARRIER (BY KESFORD)
RC FLOOR SLAB
RC WALL
JOINT FILLER (BY OTHERS)
25